

ENGINEERING CHANGE ORDER

REQUEST DATE	7/29/2	2024	REQUEST	ESTED BY H. AMEZQUITA			REQUESTED RELEASE DATE		8/2/2024		ECO	CO # ECO-00147				
AFFECTED DRODUK	TUNES	140705	NIZED DD OD LICTO	(40)(44	OTO DC ON 1/4		RE	LEASE DA	AIE							
AFFECTED PRODUCT LINES MOTORIZED PRODUCTS (AOK MOTORS ONLY)																
REASON FOR CHANGE WINTECH LOGO FOR A-OK MOTORS AND REMOTE CONTROLS																
DESCRIPTION OF CHANGE ADD WINTECH LOGO AND FCC STATEMENTS TO MOTORS AND REMOTE CONTROLS																
COST IMPACT N/A																
DOCUMENT / PART NUMBER	OLD REV	NEW REV	DOCUMENT/ PART DESCRIPTION						CHANGE DESCRIPTION					FORM, FIT, OR FUNCTION AFFECTED Yes, or No	PAR DISPOS (USE AS (REWO) (SCRA (OBSOL	SITION SS IS) DRK) AP) LETE)
											163, 01 110	(RETURN TO VENDOR) (OTHER)				
MPMI1015	-		SINGLE CHANNEL REMOTE CONTROLLER						ADD WINTECH LOGO TO FRONT					NO	USE A	
MPMI1016	-	- 6	6 CHANNELS REMOTE CONTROLLER						COVER OF REMOTE CONTROL. 2. ADD FCC STATEMENT TO BACK					NO	USE A	is is
MPMI1017	-	- 1	16 CHANNELS REMOTE CONTROLLER						COVER. (SEE PAGE 3)				NO	USE A	S IS	
MPMI1387	-	- A	AM22 MOTOR ASSY - TYPE C (WITH 32MM CROWN & DRIVE)						UPDATE MARKING TO ADD WINTECH				NO	USE A	S IS	
MPMI1389	-		AM28 MOTOR ASSY - TYPE C (WITH 38MM CROWN & DRIVE)					1					NO	USE A		
MPMI1530	-		MOTOR ASSI, AMIZS IN THE CANAD CLES SOMM CROAMAND BRIVE						LOGO (SEE PAGE 4)				NO	USE AS IS		
MPMI1531	-		MOTOR ASSY, AM25 2N TYPE C WAND CTLD 38MM CROWN AND DRIVE										_	NO USE AS IS NO USE AS IS		
MPMI1542	-	- MOTOR ASSY, AM25A TYPE C RF BLE 38MM												NO	USE A	12 12
	ADDITIONAL STARTING PO# 1941945 (ETD/A: 08/11, 08/31)															
INFORMATION AFFECTED DOCUMENTS / PROCESSES (CHECK ALL THAT APPLY)																
				AITE	- DOCONII		NOCESSES (I LCK AL		1 211 217		PROCESS				
	PRODUC PART SP	l X	QC CHECKLIS		PART DRAWING		ASSEMBL DRAWING			INSTR SHEET	\boxtimes	VISUAL AIDS	\boxtimes	INSTRUC		\boxtimes
ECO APPROVALS ROUTING																
APPROVER			APPROVAL REQUIRED	APPROVER NAME			APPROVAL	ROVAL STATUS		APPROVED ON			NOTES			
PHASE II MANAGEN	PHASE II MANAGEMENT (US - DL)			T. DAVIDSON			APPRO	/ED	07/	/31/2024						
PHASE II PROD DEV (US - NY)			\boxtimes	L. HUNT			APPRO	/ED	08/03/20							
MANAGEMENT (MX)				L. MONTEJO			APPRO	/ED	07/29/2024							
QC / ENG (MX)			\boxtimes	H. AMEZQUITA		APPRO	OVED (/29/2024							
IT (MX)			\boxtimes	E. CASTELLANOS			APPRO	/ED	07/30/2024							

PRODUCTION (MX)										
MATERIALS (MX)										
ACTIONS REQUIRED										
BOM / CONFIG	\boxtimes	WILL BE MODIFIED BY IT (MX)								
PRODUCT / PART SPEC	\boxtimes	WILL BE MODIFIED QC / ENG (MX)								
QC CHECKLIST	\boxtimes	WILL BE MODIFIED QC / ENG (MX)								
PART DRAWING		WILL BE MODIFIED QC / ENG (MX)								
ASSEMBLY DRAWING		WILL BE MODIFIED QC / ENG (MX)								
INSTR SHEET	\boxtimes	WILL BE MODIFIED PHASE II (USA)								
PROCESS VISUAL AIDS	\boxtimes	WILL BE MODIFIED QC / ENG (MX)								
WORK INSTRUCTIONS	\boxtimes	WILL BE MODIFIED QC / ENG (MX)								

PICTURES, DRAWINGS, ETC.





FRONT BACK





FC RoHS FCC ID:2AVVD25-1-30BLE

NMB-003 du Canada).

ISED number:26127-25130BLE CAN ICES-3 (B) / NMB-3 (B) This Class B digital apparatus complies with Canadian ICES-003. (Cet appareil numérique de la Classe B conforme à la norme

Model: AM25B-1/30-ES-EB Charging Voltage: DC 5V /USB-C

Rated Current : 1.2A **Rated Power** : 8.8W

Rated Torque : 1Nm Speed : 30rpm

26.00 mm

EXAMPLE (AM25)





